## FORMAT OF CERTIFICATE TO BE ISSUED BY THE DISTRICT EDUCATION OFFICER IN RESPECT OF SCHOOLS ALREADY AFFILIATED WITH THE BOARD AND SEEKING EXTENSION / UPGRADATION OF AFFILIATIO WITH THE CENTRAL BOARD OF SECONDARY EDUCATION

(In accordance with School Safety Policy, 2016 issued by the NDMA, Manual on Safety and security of Children in Schools developed by NCPCR and the National Building Code)

## PART-A

(This part is to be filled-up by the school and to be produced before the District Education Officer along with all supporting documents and certificates in original)

	GENERAL INFORMATION	
1	Affiliation Number allotted by CBSE to the school	1630801
2	Name of the School as per affiliation letter of CBSE	RHEMA INTERNATIONAL SCHOOL
3	Address of the School	MISSION ROAD, PATHANKOT
4	Standard/level/class up to which the school is running	NURSERY TO XII
5	Is the name and address of school in CBSE affiliation letter and State NOC/ Recognition/U-DISE same exactly the same	YES
6	U-DISE code allotted to the school	3220913403
7	Name and address of the Trust / Society/ Company (under section – 8) running the School as on date	INDIAN EVENGELICAL TEAM
8	Is the Trust / Society / Company duly registered with the competent registering authority and the registration is valid as on date?	YES
9	Purpose of present application	EXTENSION
10	Location of School	IN THE MUNICIPAL LIMITS OF CITY HAVING POPULATION LESS THAN 15 LAKH
	নিজ্ব দিধিপা ਅहमव (मै:मि) ਪਠਾਨਕੋਟ ।	

RHEMA INTERNATIONAL SCHOOL
MISSION ROAD, PATHANKOT (PB.

RHEMA INTERNATIONAL SCHOOL
MISSION ROAD, PATHANKOT.(PB.)

Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall?  Are both the School and the Playground situated in a single compound bounded by a single continuous Boundary Wall on all sides  Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  The land is in the possession of the school / trust / society / company legally by way of.  Name of the Owner / Lessee of the land in respect of point — 14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  In the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
INFORMATION REGARDING LAND DETAILS AND OWNDERSHIP bounded on all sides by a Pucca Boundary Wall?  Are both the School and the Playground situated in a single compound bounded by a single continuous Boundary Wall on all sides  Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  The land is in the possession of the school / trust / society / company legally by way of.  Name of the Owner / Lessee of the land in respect of point — 14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  YES  In fyes the date of last inspection  If yes the date of last inspection or officer of Government fire Department and the school building been found to be satisfactory and the water has been found safe for drinking?	
INFORMATION REGARDING LAND DETAILS AND OWNDERSHIP bounded on all sides by a Pucca Boundary Wall?   YES compound bounded by a single continuous Boundary Wall on all sides   YES compound bounded by a single continuous Boundary Wall on all sides   Total area (in Square meters) in respect of 12 and 13 above on which the school is situated   YES compound bounded by a single continuous Boundary Wall on all sides   Total area (in Square meters) in respect of 12 and 13 above on which the school is situated   SALE Compound bounded by a single continuous Boundary Wall on all sides   The land is in the possession of the school / trust / society / SALE Company legally by way of.   INDIAN	
INFORMATION REGARDING LAND DETAILS AND OWNDERSHIP bounded on all sides by a Pucca Boundary Wall?  Are both the School and the Playground situated in a single compound bounded by a single continuous Boundary Wall on all sides  Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  The land is in the possession of the school / trust / society / company legally by way of.  Name of the Owner / Lessee of the land in respect of point — 14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  If yes the date of last inspection  O9/05/2  If yes the date of last inspection  If yes the date of last inspection  If yes the date of last inspection  The land in the point of view of fire safety?  If yes the date of last inspection  The land in the point of view of fire safety?  If yes the date of last inspection  The land is in the possession of the school building been found to be satisfactory and the water has been found safe for drinking?	
12   Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall?   YES	
Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall?  Are both the School and the Playground situated in a single compound bounded by a single continuous Boundary Wall on all sides  Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  The land is in the possession of the school / trust / society / company legally by way of.  Name of the Owner / Lessee of the land in respect of point — 14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  19(a) If yes the date of last inspection  O9/05/2  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  O7/12/2  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	/2012-
Are both the School and the Playground situated in a single all sides  14 Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  15 The land is in the possession of the school / trust / society / company legally by way of.  16 Name of the Owner / Lessee of the land in respect of point — 14 above.  17 In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  18 Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  19 Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  19(a) If yes the date of last inspection  20 Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  20 (a) If yes the date of last inspection  21 Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	519
Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  The land is in the possession of the school / trust / society / company legally by way of.  Name of the Owner / Lessee of the land in respect of point — 14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  If yes the date of last inspection  O9/05/2  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  O(a) If yes the date of last inspection  The land is single continuous Boundary wall on 18210  YES  YES  The land is single continuous Boundary wall on 18210  INDIAN EVANG  NA  NA  NA  POLYMAN  NA  NA  POLYMAN  NA  NA  NA  POLYMAN  NA  NA  POLYMAN  NA  NA	
compound bounded by a single continuous Boundary Wall on  14 Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  15 The land is in the possession of the school / trust / society / company legally by way of.  16 Name of the Owner / Lessee of the land in respect of point — 14 above.  17 In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  18 Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  19 Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  19(a) If yes the date of last inspection  20 Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  20 (a) If yes the date of last inspection  21 Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  The land is in the possession of the school / trust / society / company legally by way of.  Name of the Owner / Lessee of the land in respect of point — 14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  If yes the date of last inspection  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
Total area (in Square meters) in respect of 12 and 13 above on which the school is situated  The land is in the possession of the school / trust / society / company legally by way of.  Name of the Owner / Lessee of the land in respect of point — 14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  If yes the date of last inspection  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
The land is in the possession of the school / trust / society / company legally by way of.  Name of the Owner / Lessee of the land in respect of point — 14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  On (a) If yes the date of last inspection  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
The land is in the possession of the school / trust / society / company legally by way of.  Name of the Owner / Lessee of the land in respect of point — 14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  On (a) If yes the date of last inspection  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
Company legally by way of.  Name of the Owner / Lessee of the land in respect of point —  14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  O9/05/2  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	8538 sqm.
Name of the Owner / Lessee of the land in respect of point —  14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  (20 (a) If yes the date of last inspection  17 (b) Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
Name of the Owner / Lessee of the land in respect of point — 14 above.  In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  If yes the date of last inspection  O9/05/2  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  If yes the date of last inspection  O7/12/2  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	EED
In case the land in possession of the society / school by way of lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  If yes the date of last inspection  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  If yes the date of last inspection  O7/12/2  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
lease as per State Government norms, the period of the lease.  Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  If yes the date of last inspection  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  If yes the date of last inspection  O7/12/2  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  If yes the date of last inspection  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  If yes the date of last inspection  O7/12/2  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	ELICAL TEAM
through the land in respect of point-14 above?  INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  19(a) If yes the date of last inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  20 (a) If yes the date of last inspection  11 Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
INFORMATION REGARDING ESSENTIAL SAFETY REQUIREMENTS  Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  If yes the date of last inspection  Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  If yes the date of last inspection  If yes the date of last inspection  The point of view of fire safety?  If yes the date of last inspection  The point of view of the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  19(a) If yes the date of last inspection  20 Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  20 (a) If yes the date of last inspection  21 Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?  19(a) If yes the date of last inspection  20 Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  20 (a) If yes the date of last inspection  21 Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
and the school building been found structurally safe for running a school?  19(a) If yes the date of last inspection  20 Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  20 (a) If yes the date of last inspection  21 Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
19(a) If yes the date of last inspection  20 Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  20 (a) If yes the date of last inspection  21 Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  If yes the date of last inspection  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?  If yes the date of last inspection  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	010
Fire Department and the school building been declared safe for school from the point of view of fire safety?  20 (a) If yes the date of last inspection  C1 Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	718
school from the point of view of fire safety?  If yes the date of last inspection  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
20 (a) If yes the date of last inspection 07/12/2  Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	
Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	110
department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	118
to be satisfactory and the water has been found safe for drinking?	
drinking?	
1/a) If was the data of last in the	
VFORMATION REGARDING THE STAFF	18
Does the school have well defined service rules and conditions YES	
for its employees as per prevalent norms of appropriate	
Government?	
Is the school paying salary to the teachers and other employees YES	
as per the forms of the appropriate Government?	$\rightarrow$



निसु मिंधिओं भहमन (मैं:मि) थठाठवेट ।

RHEMA INTERNATIONAL SCHOOL
MISSION ROAD, PATHANKOT (PB.)

ng all supporting  Date of school has been verified
ng all supporting
ng all supporting
Date 01
school has been verified siting the school and the
siting the school and the
5. Region of
का सिंगिया ਅਫਸਰ (मै:मि)
ਪਨਾਨਕੋਟ /
ਤ੍ਹਾ ਸਿੱਖਿਆ ਅਫਸਰ (ਸੈ:ਸਿ) ਪਨਾਨਕੋਟ । 27/07/22 Signature
nd Stamp of Issuing DEO)
R / EQUIVALENT OFFICER
TION AT DISTRICT LEVEL
NAME OF DISTRICT
Counter Signature
Designation and Stamp)
Designation and Stamp) DEPUTY COMMISSIONER
horized representative*)
NAME OF DISTRICT
roup-A Gazetted Officer)
oup A Gazettea Officer)



